

Bibliografia

1. Charcot J-M (1877). Lectures on the Diseases of the Nervous System delivered at La Salpetriere. Pp 194-5 London New Sydenham Society
2. Cottrell SS, Wilson SAK . The affective symptomatology of disseminated multiple sclerosis. Journal of Neurological Psychopathology 1926. 7, 1-30
3. Kurtzke JF. Neurologic impairment in multiple sclerosis and the disability status scale. Acta Neurol Scand 1970. 46(4):493-512.
4. Peyser JM, Rao SM, LaRocca NG et al. Guidelines for neuropsychological research in multiple sclerosis. Arch Neurol 1990. 47(1):94-7
5. Rao SM, Leo GJ, Bernardin L et al. Cognitive dysfunction in multiple sclerosis. I. Frequency, patterns, and prediction. Neurology 1991. 41(5):685-91
6. McIntosh-Michaelis SA, Roberts MH, Wilkinson SM et al. The prevalence of cognitive impairment in a community survey of multiple sclerosis. Br J Clin Psychol 1991. 30:333-48
7. Heaton RK, Nelson LM, Thompson DS et al. Neuropsychological findings in relapsing- remitting and chronic-progressive multiple sclerosis. J Consult Clin Psychol 1995. 53(1):103-10
8. Rao, S.M. et al. Cognitive dysfunction in multiple sclerosis. I. Frequency, patterns, and prediction. Neurology 1991. 41(5): p. 685-91
9. Beatty WW, Paul RH, Wilbanks SL et al. Identifying multiple sclerosis patients with mild or global cognitive impairment using the Screening Examination for Cognitive Impairment (SEFCI). Neurology 1995 Apr;45(4):718-23
10. Amato MP, Ponziani G, Siracusa G et al. Cognitive dysfunction in early-onset multiple sclerosis: a reappraisal after 10 years. Arch Neurol. 2001. Oct;58(10):1602-6
11. Benedict RH, Cookfair D, Gavett R et al. Validity of the minimal

assessment of cognitive function in multiple sclerosis (MACFIMS). *J Int Neuropsychol Soc.* 2006 Jul;12(4):549-58

12. Paulesu E, Perani D, Fazio F et al. Functional basis of memory impairment in multiple sclerosis: a [18F]FDG PET study. *Neuroimage.* 1996 Oct;4(2):87-96
13. Roelcke U, Kappos L, Lechner-Scott J et al. Reduced glucose metabolism in the frontal cortex and basal ganglia of multiple sclerosis patients with fatigue: a 18F fluorodeoxyglucose positron emission tomography study. *Neurology.* 1997 Jun;48(6):1566- 71
14. Bakshi R. Fatigue associated with multiple sclerosis: diagnosis, impact and management. *Mult Scler.* 2003 Jun;9(3):219-27
15. Blinkenberg M, Rune K, Jensen CV et al. Cortical cerebral metabolism correlates with MRI lesion load and cognitive dysfunction in MS. *Neurology.* 2000 Feb 8;54(3):558-64
16. Filippi M, Valsasina P, Rocca M. Magnetic resonance imaging of grey matter damage in people with MS. *Int MS J.* 2007 Mar;14(1):12-21
17. Parmenter BA, Zivadinov R, Kerenyi L et al. Validity of the Wisconsin Card Sorting and Delis-Kaplan Executive Function System (DKEFS) Sorting Tests in multiple sclerosis. *J Clin Exp Neuropsychol.* 2007 Feb;29(2):215-23
18. Arnett PA, Higginson CI, Randolph JJ. Depression in multiple sclerosis: relationship to planning ability. *J Int Neuropsychol Soc.* 2001 Sep;7(6):665-74
19. Denney DR, Lynch SG, Parmenter BA et al. Cognitive impairment in relapsing and primary progressive multiple sclerosis: mostly a matter of speed. *J Int Neuropsychol Soc.* 2004 Nov;10(7):948-56
20. Channon S, Baker JE, Robertson MM. Working memory in clinical depression: an experimental study. *Psychol Med.* 1993 Feb;23(1):87-91

21. MacAllister WS, Belman AL, Milazzo M et al. Cognitive functioning in children and adolescents with multiple sclerosis. *Neurology*. 2005 Apr 26;64(8):1422-5
22. Banwell BL, Anderson PE. The cognitive burden of multiple sclerosis in children. *Neurology*. 2005 Mar 8;64(5):891-4
23. Amato MP, Goretti B, Ghezzi A et al.; for the Multiple Sclerosis Study Group of the Italian Neurological Society. Cognitive and psychosocial features of childhood and juvenile MS. *Neurology*. 2008 May 13;70(20):1891-7
24. Amato MP, Goretti B, Ghezzi A et al.; Multiple Sclerosis Study Group of the Italian Neurological Society. Cognitive and psychosocial features in childhood and juvenile MS: a reappraisal after 2 years. *Neurology* 2010 in press
25. Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). *Neurology*. 1983 Nov;33(11):1444-52
26. van den Berge JH, Braakman R, Schouten HJ. Interobserver agreement in assessment of vestibulo-ocular responses. *J Neurol Neurosurg Psychiatry*. 1987 Aug;50(8):1045-7
27. Amato MP, Ponziani G, Pracucci G et al. Cognitive impairment in early-onset multiple sclerosis. Pattern, predictors, and impact on everyday life in a 4-year follow-up. *Arch Neurol*. 1995 Feb;52(2):168-72
28. Heaton RK, Nelson LM, Thompson DS et al. Neuropsychological findings in relapsing- remitting and chronic-progressive multiple sclerosis. *J Consult Clin Psychol*. 1985 Feb;53(1):103-10
29. Minden SL, Moes EJ, Orav J et al. Memory impairment in multiple sclerosis. *J Clin Exp Neuropsychol*. 1990 Aug;12(4):566-86

30. Grossman RI. Magnetization transfer in multiple sclerosis. *Ann Neurol*. 1994;36 Suppl:S97-9
31. Comi G, Filippi M, Martinelli V et al. Brain MRI correlates of cognitive impairment in primary and secondary progressive multiple sclerosis. *J Neurol Sci*. 1995 Oct;132(2):222-7
32. Camp SJ, Stevenson VL, Thompson AJ, Miller DH et al. Cognitive function in primary progressive and transitional progressive multiple sclerosis: a controlled study with MRI correlates. *Brain*. 1999 Jul;122 (Pt 7):1341-8
33. Foong J, Rozewicz L, Chong WK et al. A comparison of neuropsychological deficits in primary and secondary progressive multiple sclerosis. *J Neurol*. 2000 Feb;247(2):97-101.
34. Huijbregts SC, Kalkers NF, de Sonneville LM et al. Differences in cognitive impairment of relapsing remitting, secondary, and primary progressive MS. *Neurology*. 2004 Jul 27;63(2):335-9
35. Camp SJ, Stevenson VL, Thompson AJ et al. A longitudinal study of cognition in primary progressive multiple sclerosis. *Brain*. 2005 Dec;128(Pt 12):2891-8
36. Achiron A, Barak Y. Cognitive impairment in probable multiple sclerosis. *J Neurol Neurosurg Psychiatry* 2003;74:443-446
37. Glanz B, Holland C, Gauthier S, et al. Cognitive dysfunction in patients with clinically isolated syndromes or newly diagnosed multiple sclerosis. *Mult Scler* 2007;13:1004-1010.
38. Potagas C, Giogkarakaki E, Koutsis G, et al. Cognitive impairment in different MS subtypes and clinically isolated syndromes. *J Neurol Sci* 2008;267:100-106
39. Amato MP, Zipoli V, Goretti B et al. Benign multiple sclerosis: cognitive, psychological and social aspects in a clinical cohort. *J*

Neurol. 2006 Aug;253(8):1054-9

40. Stewart G, Kidd D, Thompson AJ. The assessment of handicap: an evaluation of the Environmental Status Scale. *Disability Rehabilitation*. 1995; 17: 312-31
41. Amato MP, Portaccio E, Stromillo ML et al. Cognitive assessment and quantitative magnetic resonance metrics can help to identify benign multiple sclerosis. *Neurology*. 2008 Aug 26;71(9):632-8
42. Portaccio E, Stromillo ML, Goretti B et al. Neuropsychological and MRI measures predict short-term evolution in benign multiple sclerosis. *Neurology*. 2009 Aug 18;73(7):498-503
43. Benedict RH, Fazekas F. Benign or not benign MS: a role for routine neuropsychological assessment? *Neurology*. 2009 Aug 18;73(7):494-5
44. Rovaris M, Barkhof F, Calabrese M et al. MRI features of benign multiple sclerosis: toward a new definition of this disease phenotype. *Neurology*. 2009 May 12;72(19):1693-701
45. Amato MP, Bartolozzi ML, Zipoli V et al. Neocortical volume decrease in relapsing-remitting MS patients with mild cognitive impairment. *Neurology*. 2004 Jul 13;63(1):89-93
46. Feuillet L, Reuter F, Audoin B et al. Early cognitive impairment in patients with clinically isolated syndromes suggestive of multiple sclerosis. *Mult Scler*. 2007 Jan;13(1):124-7
47. Zipoli V, Goretti B, Hakiki B et al. Cognitive impairment predicts conversion to multiple sclerosis in clinically isolated syndromes. *Mult Scler*. 2010 Jan;16(1):62-7. Epub 2009 Dec 7
48. Rao S. *A manual for the Brief Repeatable Battery of Neuropsychological Tests in Multiple Sclerosis*. Milwaukee, WI; 1990
49. Barbarotto R, Laiacina M, Frosio R et al. A normative study on visual

reaction times and two Stroop colour-word tests. *Ital J Neurol Sci.* 1998 Jun;19(3):161-70

50. Deloire M, Ruet A, Hamel D et al. Early cognitive impairment in multiple sclerosis predicts disability outcome several years later. *Mult Scler.* 2010 May;16(5):581-7
51. Rovaris M, Comi G, Filippi M. MRI markers of destructive pathology in multiple sclerosis-related cognitive dysfunction. *J Neurol Sci.* 2006 Jun 15;245(1-2):111-6
52. Calabrese M, Agosta F, Rinaldi F et al. Cortical lesions and atrophy associated with cognitive impairment in relapsing-remitting multiple sclerosis. *Arch Neurol.* 2009 Sep;66(9):1144-50
53. Houtchens MK, Benedict RH, Killiany R et al. Thalamic atrophy and cognition in multiple sclerosis. *Neurology.* 2007 Sep 18;69(12):1213-23
54. Bonzano L, Pardini M, Mancardi GL et al. Structural connectivity influences brain activation during PVSAT in Multiple Sclerosis. *Neuroimage.* 2009 Jan 1;44(1):9-15
55. Dineen RA, Vilisaar J, Hlinka J et al. Disconnection as a mechanism for cognitive dysfunction in multiple sclerosis. *Brain.* 2009 Jan;132(Pt 1):239-49
56. Morgen K, Sammer G, Courtney SM et al. Evidence for a direct association between cortical atrophy and cognitive impairment in relapsing-remitting MS. *Neuroimage.* 2006 Apr 15;30(3):891-8
57. Sicotte NL, Kern KC, Giesser BS et al. Regional hippocampal atrophy in multiple sclerosis. *Brain.* 2008 Apr;131(Pt 4):1134-41
58. Mainero C, Caramia F, Pozzilli C et al. fMRI evidence of brain reorganization during attention and memory tasks in multiple sclerosis. *Neuroimage.* 2004 Mar;21(3):858-67

59. Brochet B, Deloire MS, Bonnet M et al. Should SDMT substitute for PASAT in MSFC? A 5-year longitudinal study. *Mult Scler*. 2008 Nov;14(9):1242-9
60. Audoin B, Ibarrola D, Ranjeva JP et al. Compensatory cortical activation observed by fMRI during a cognitive task at the earliest stage of MS. *Hum Brain Mapp*. 2003 Oct;20(2):51-8
61. Amato MP, Ponziani G, Pracucci G et al. Cognitive impairment in early-onset multiple sclerosis. Pattern, predictors, and impact on everyday life in a 4-year follow-up. *Arch Neurol*. 1995 Feb;52(2):168-72
62. Amato MP, Ponziani G, Siracusa G et al. Cognitive dysfunction in early-onset multiple sclerosis: a reappraisal after 10 years. *Arch Neurol*. 2001 Oct;58(10):1602-6
63. Rosti E, Hämäläinen P, Koivisto K et al. PASAT in detecting cognitive impairment in relapsing-remitting MS. *Appl Neuropsychol*. 2007;14(2):101-12
64. Deloire MS, Salort E, Bonnet M et al. Cognitive impairment as marker of diffuse brain abnormalities in early relapsing remitting multiple sclerosis. *J Neurol Neurosurg Psychiatry*. 2005 Apr;76(4):519-26
65. Rudick R, Antel J, Confavreux C et al. Recommendations from the National Multiple Sclerosis Society Clinical Outcomes Assessment Task Force. *Ann Neurol* 1997;42(3):379– 82
66. Solari A, Radice D, Manneschi L et al. The multiple sclerosis functional composite: different practice effects in the three test components. *J Neurol Sci*. 2005 Jan 15;228(1):71- 4
67. Wechsler D. WISC-R Manual for the Wechsler Intelligence Scale for Children—Revised. New York: Psychological Corporation, 1974
68. Camp SJ, Stevenson VL, Thompson AJ et al. Cognitive function in

primary progressive and transitional progressive multiple sclerosis: a controlled study with MRI correlates. *Brain*. 1999 Jul;122 (Pt 7):1341-8

69. Deloire MS, Salort E, Bonnet M et al. Cognitive impairment as marker of diffuse brain abnormalities in early relapsing remitting multiple sclerosis. *J Neurol Neurosurg Psychiatry*. 2005 Apr;76(4):519-26
70. Deloire MS, Bonnet MC, Salort E et al. How to detect cognitive dysfunction at early stages of multiple sclerosis? *Mult Scler*. 2006 Aug;12(4):445-52
71. Huijbregts SC, Kalkers NF, de Sonneville LM et al. Differences in cognitive impairment of relapsing remitting, secondary, and primary progressive MS. *Neurology*. 2004 Jul 27;63(2):335-9
72. Nocentini U, Giordano A, Di Vincenzo S et al. The Symbol Digit Modalities Test - Oral version: Italian normative data. *Funct Neurol*. 2006 Apr-Jun;21(2):93-6
73. Drake AS, Weinstock-Guttman B, Morrow SA et al. Psychometrics and normative data for the Multiple Sclerosis Functional Composite: replacing the PASAT with the Symbol Digit Modalities Test. *Mult Scler*. 2010 Feb;16(2):228-37
74. Benedict RH, Munschauer F, Linn R et al. Screening for multiple sclerosis cognitive impairment using a self-administered 15-item questionnaire. *Mult Scler* 2003;9:95-101
75. Benedict RH, Cox D, Thompson LL et al. Reliable screening for neuropsychological impairment in multiple sclerosis. *Mult Scler*. 2004 Dec;10(6):675-8
76. Amato M, Portaccio E, Goretti B, et al. The Rao's Brief Repeatable Battery and Stroop test: normative values with age, education and gender corrections in an Italian population. *Mult Scler* 2006 Dec;12(6):787-93

77. Portaccio E, Goretti B, Zipoli V et al. A short version of Rao's Brief Repeatable Battery as a screening tool for cognitive impairment in multiple sclerosis. *Clin Neuropsychol* 2009 Feb;23(2):268-75
78. Benedict RH, Cookfair D, Gavett R, et al. Validity of the minimal assessment of cognitive function in multiple sclerosis (MACFIMS). *J Int Neuropsychol Soc* 2006;12:549-558